

Description: Flock lined neoprene gloves

- Features & Benefits:
- * Neoprene for chemical resistance
 - * Pure cotton lining to absorb perspiration
 - * Anti-slip pattern for good grip in wet and dry conditions
 - * Straight cuff
 - * Bacteriostatic and fungistatic additives
 - * Extra long length for added protection
 - * Manufactured under a stringent quality management system

Applications: Automotive Industry, Chemical Industry, Oil refineries, Facility maintenance

Elastomer: Neoprene rubber

Thickness: 0.78 +/- 0.07 mm

Lining: Flocklined

Former: Reverse Lozenge, CIVL

Exterior: Finished smooth

Cuff Types: Straight

Treatments: Un-chlorinated

Colours:

AQL - Critical: 1.5

Major: 4



CE Certification: Conforms to PPE Regulation EU 2016/425 to (Complex Design) Personal Protective Equipment after assessment against standards EN ISO 21420:2020, EN ISO 374-1:2016+A1:2018, EN ISO 374-5:2016 and EN 388:2016+A1:2018


Conforms to: ASTM D4679 of 2021

Physical Dimensions:	Size	Palm	Wrist	Cuff	Length
	6.5	199	212	274	380
	7.5	213	226	282	380
	8.5	227	241	286	380
	9	228	245	293	380
	10	247	261	308	380

Circumference in mm, +/- 5 mm Tol. +/- 10 mm

Shelf Life 5 Years

EN 374-4

Protection against Chemical hazards	Performance	Degradation %
EN ISO 374-1/TYPE A		
 * Methanol (A)	Level 3	3.8
* n-Heptane (J)	Level 1	30.8
* Sodium hydroxide 40% (K)	Level 6	-0.1
* Sulphuric acid 96% (L)	Level 4	23.5
* Nitric acid 65% (M)	Level 6	19.3
* Acetic acid 99% (N)	Level 5	19
* Ammonium hydroxide 25% (O)	Level 3	-12.9
* Hydrogen peroxide 30% (P)	Level 6	-2.8
* Formaldehyde 37% (T)	Level 6	6.7
* Hydrofluoric acid 40% (S)	Level 6	X

Note: Printed copies are valid only on the date printed

Printed Date: 29-Nov-2023

Revision:7

Published Date: 29-Nov-2023

DPL
Handling you with care

No: 400, Deans Road, Colombo 10, Sri Lanka

Phone: +94-0122-683-964

Fax: +94-0122-699-018

E-Mail: postmast@dplgroup.com

Protection against Mechanical hazards		Performance
---------------------------------------	--	-------------

EN 388



- * Abrasion resistance
- * Blade cut resistance
- * Tear resistance
- * Puncture resistance
- * TDM cut resistance

Level 3
Level 1
Level 1
Level 0
X

Protection against Micro-organisms risk		Performance
---	--	-------------

EN ISO 374-5



- * Protection against bacteria and fungi
- * Protection against viruses

Pass
Pass