# TECHNICAL SPECIFICATION

**HEAD PROTECTION** 



# EVO®2 Mid Peak OneTouch™ Slip Ratchet Vented

White / Code: AJF030-000-100



#### DESCRIPTION

The EVO®2 Comfort Plus helmet combines a super strong shell for superior all day protection in the widest range of environments, with the comfort benefits of the new Evolution® 3D Adjustment<sup>™</sup> harness system. EVO®2 is a true evolution of the long-established MK®2 and MK®3 helmets. The EVO®2 retains the JSP signature styling while incorporating developments first seen in the EVO®8. Packed full of the latest protection technology and features.

#### OPTIONS

White (AJF030-000-100) Blue (AJF030-000-500) Black (AJF030-001-100) Orange (AJF030-000-800) Green (AJF030-000-300) Grey (AJF030-000-400) Yellow (AJF030-000-200) Pink (AJF030-003-900) Red (AJF030-000-600)

### DOWNLOADS

Image Pack (ZIP)

Declaration of Conformity (PDF)

#### VIDEO

www.youtube.com/watch?v=n9qrN2U0LFk



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon. Page 1 of 3 / Issued 24 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.







# Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. The OneTouch<sup>™</sup> slip ratchet makes it simple to tighten to the perfect fit.



# 3D Adjustment

The polyethylene harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



# **CR2** Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility/reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



#### Accessories

A universal attachment slot enables firm fitting of a range of Surefit<sup>™</sup> safety visors and ear defenders.



# Supreme Comfort

A traditional 6-point polyethylene harness making the EVO®2 the more economical choice, whilst still providing the same high performance as the EVO®3.



#### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.




# Ventilation Option

Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2-3 degrees.

#### SAFETY STANDARDS

#### EN 397

# SPECIFICATIONS



#### APPLICATIONS

Agricultural

Airports

Construction and Infrastructure

Maritime

- Oil, Gas and Chemical Companies
- Scaffolding and Roofing

**Utilities Contractors** 

RANGE





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England. Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon. Page 2 of 3 / Issued 24 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.



EVO® Gas Goggle EVO® Goggle Double Lens EVOGuard®C1 Industrial Visor EVOGuard®C2 Industrial Visor EVOGuard®C4-MAX Industrial Visor EVOGuard®C5-MAX Industrial Visor Flexinet® Mask FFP2 (821) Flexinet® Mask FFP2OV (823) Flexinet® Mask FFP2V (822) Flexinet® Mask FFP3 Valved (832) SpringFit<sup>™</sup> Disposable Dust Mask 421ML FFP2 SpringFit<sup>™</sup> Disposable Dust Mask 425ML FFP2 with Typhoon<sup>™</sup> Valve SpringFit<sup>™</sup> Disposable Dust Mask 431ML FFP3 SpringFit™ Disposable Dust Mask 435ML FFP3 with Typhoon™ Valve SpringFit<sup>™</sup> Disposable Dust Mask 436ML FFP3 with Typhoon<sup>™</sup> Valve and Nuisance Carbon Layer Sonis® Compact Helmet Mounted Ear Defenders Sonis®1 Helmet Mounted Ear Defenders Sonis®3 Helmet Mounted Ear Defenders Stealth™ 16G Stealth™ 7000 Stealth<sup>™</sup> 8000 Stealth™ 9000 Stealth<sup>™</sup> Coverlite<sup>™</sup> Overspec Thermex<sup>™</sup> Double Lens Goggle Typhoon<sup>™</sup> Moulded Mask FFP2 Valved (725) Typhoon<sup>™</sup> Moulded Mask FFP2OV (726)

# ACCESSORIES

**EVO®** Sweatband Cold Weather Helmet Comforter Cooling Sweatbands for EVO® L/2/3/5/6 (Pack of 2) CR2 Reflective Kit for EVO®2/3 Pack of 10 Deluxe Chinstrap with Chincup Elasticated Chinstrap EVO® Neck Cape EVOGuard®C1 Industrial Visor EVOGuard®C2 Industrial Visor EVOGuard®C4-MAX Industrial Visor EVOGuard®C5-MAX Industrial Visor Quick Release 4 Point Linesman Harness Sonis® Compact Helmet Mounted Ear Defenders Sonis® Compact Hygiene Kit Sonis®1 Hygiene Kit Sonis®2 Hygiene Kit Sonis®3 Helmet Mounted Ear Defenders Sonis®3 Hygiene Kit Surefit<sup>™</sup> Thermal Safety Helmet Liner



### BRANDING

- Front
- Back
- Sides



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England. Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon. Page 3 of 3 / Issued 24 Nov 2020 / Copyright 2018 - 2020. JSP Limited. All Rights Reserved.

